

Breathing Protection without Activated Charcoal Belt Unit



Breathing Protection with Activated Charcoal Belt Unit



Compressed air-supplied respirator hood to combine with double-stage compressed air filters fixed to the wall, e.g. SATA filter 444 without integrated activated charcoal filter stage.

SATA air vision 5000 respirator hood Art. No. 1000249



Art. No. 1000124 SATA air carbon regulator set

SATA air regulator belt plus Art. No. 1030668



SATA air carbon regulator Art. No. 1000166





Compressed air connection (hood)

Gun air hose connection

Connection for safety compressed air hose (from the wallmounted filter regulation unit)

Art. No. 1000059

Accessories: SATA air warmer carbon Art. No. 1000132

Accessories: **SATA air humidifier** Art. No. 1000299





Recommended accessories

SATA air humidifier

Breathing air humidification for a comfortable breathing climate

Art. No. 1000299



SATA air warmer carbon for SATA air carbon regulator

Multi-stage adjustable breathing air warmer

Art. No. 1000132



Safety compressed air hose

crush and kink resistant, 6 m

Art. No. 49080



Gun air hose

 $9\ \mbox{mm}$ inner diameter, $1.2\ \mbox{m}$ to connect a spray gun to the belt unit

Art. No. 13870





for SATA air carbon regulator

Art. No. 218206

SATA air cooler Art. No. 1006982





Accessories: **SATA air cooler** Art. No. 1006982



SATA® air vision™ 5000

SATA air vision 5000				
Technical Data Required operating pressure without spray gun: 2.5 bar - 3,0 bar				
Required operating pressure with spray gun (connected with 1.2 m gun hose): 4.0 bar – 6				
	Maximum operating pressure: 10.0 bar			
	Required minimum air volume flow: 150 NI/min			
Maximum air volume flow (at 6 bar, air distributor fully opened): 740 NI/min				

Available	versions	
213819	SATA air vision 5000 set (Int.) Version without activated charcoal adsorber	
1000249	SATA air vision 5000 respirator hood (Int.)	1
1000124	SATA air vision 5000 carbon set (Int.) Version with activated charcoal adsorber	
1000190	SATA air regulator (Int.) for SATA air vision 5000	1
1000108	SATA air regulator set (Int.)	100
1030668	SATA air regulator belt plus	
1000215	SATA air regulator belt (Int.) for SATA air vision 5000	
1000059	SATA air carbon regulator set (Int.)	
1000132	SATA air warmer carbon (Int.) for SATA air carbon regulator	•
1000166	SATA air carbon regulator (Int.) for SATA air vision 5000	

Available versions			
1000299	SATA air humidifier (Int.) for SATA air vision 5000		
1007005	SATA air warmer, incl. adapter plate and hip pad for SATA air vision 5000		
1006982	SATA air cooler incl. adapter plate and hip pad for SATA air vision 5000		8

Accessories			
13870	SATA air hose, blue, 9mm, 1.2 m with quick coupling, red and nipple		
49080	Safety compressed air supply hose CE 10 mm, f. SATA respirators CE version, 6 m long, cpl. according to DIN EN 139/270		
176792	Safety compressed air supply hose CE 10m ø 10 mm DIN EN 139/270 for SATA respirators		
180851	Safety compressed air supply hose CE 40m, 10mm, DIN EN 139/270 for SATA respirators		
218206	SATA Activated charcoal filter, cpl. for SATA air carbon regulator		

Spare Parts SATA® air vision™ 5000

SATA quick coupling 1/4" (male thread)

53942

Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14

81158

Humidifier module cpl

SATA filter timer for sinter filter

208280

Head fixation cpl

208439

Belt with buckle 208447

Hip pad (packing unit 1 piece)

208462

210468

Visor foil, 6 perforations (packing unit 20 pieces)

Visor foil, 6 perforations (packing unit 1000 pieces)

CCS disc (packing unit 4 pieces) 211912

Hygiene insert (packing unit 20 pieces) 213728

Comfort band (packing unit 10 pieces)

Visor bolt (packing unit 6 pieces)

Hook-and-loop tape long (packing unit 1 piece) and short (packing unit 2 pieces), adhesive on one side

213751 Hood holder for SATA air regulator

215590

Visor foil, 6 perforations (packing unit 100 pieces)

Safety quick coupling for SATA air regulator and SATA air

carbon regulator

SATA Activated charcoal filter, cpl.

226456

Plug-in diffusor

226621 Humidifier kit consisting of humidifier module, lid seal and

SATA filter timer

226746

Hood cloth, dark grey

1000215

SATA air regulator belt (Int.)

1014232

Hip pad (packing unit 1 piece) 1014240

Air hose cpl. for SATA air warmer / air cooler

1018143 Filter fastene

1036947

1039917

Comfort head band (packing unit 100 pieces)

1066415

Control knob, cpl.

Pad for head band (adjustment wheel)

1076521

Cylinder scre

1076589

Air hose cpl. for SATA air humidifier

1076612

Container

1076620

1076638

Safety band for bayonet lock

1076662

Pressure relief valve, cpl.

1076688


Threaded elbow joint, swiveling

1076703

Safety and quick coupling with free passage

Spare parts for:

SATA air vision 5000 Art. Nr. 226464




Spare parts for:

SATA air regulator belt plus

Art. No. 1030668 (with hip pad)

Art. No. 1038274 (without hip pad)



SATA® vision™ 2000

SATA vision 2000					
Technical I	Data	Required operating pressure: 4.0 bar			
		Required minimum air volume flow: 170 NI/min			
SATA visi	sion 2000 with activated charcoal belt unit				
69500	SATA respirator kit vision 2000, with ac				
52712	Hood for full face respirator vision 200	0, with head/chest cloth over hood, without belt unit			
54015	Belt unit with activated charcoal adsor tor hood CE industry with UV protection	ber and air regulation valve for SATA vision 2000 and respira-			
173880	SATA respirator kit in systainer: SATA vi air regulation valve, SATA air warmer, S	sion 2000 and belt unit with activated charcoal adsorber and ATA air hose 1.2 m			
SATA visi	on 2000 <u>without</u> activated charc	oal belt unit			
154591	SATA hood Vision 2000 with industrial	belt unit, T-piece and hose coupling			
52712	Hood for full face respirator vision 200	0, with head/chest cloth over hood, without belt unit			
122341	Belt unit with T-piece and air regulation UV protection, air star C	n valve for SATA vision 2000, respirator hood CE industry with			
58941	Belt unit with air regulation valve for SA tion, air star C	ATA vision 2000, respirator hood CE industry with UV protec-			
Accesso	ries				
61242	Air warmer w. micrometer for SATA resp	pirators			
89086	SATA top air breathing air humidifier				
13870	SATA air hose, blue, 9mm, 1.2 m with	quick coupling, red and nipple			
49080	EN 139/270	mm, f. SATA respirators CE version, 6 m long, cpl. according to DIN			
176792		m ø 10 mm DIN EN 139/270 for SATA respirators			
180851	Safety compressed air supply hose CE 40r	m, 10mm, DIN EN 139/270 for SATA respirators			
SATA hood	with UV protection < 380 nm wave ler	gth			
67595	SATA respirator hood CE, head cloth w	chest cover			

Spare Parts SATA® vision™ 2000

89268 SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces) 82594 Sweat ribbon, microfibre-velour (packing unit 10 pieces) 76299 89250 SATA quick coupling 1/4" (male thread) 13854 10330 89243 13904 21840 Activated charcoal cartridge 13920 Belt with buckle 35659 35675 Set of plug-in nipples, complete, for Vision 2000 36301 Bottom part (packing unit 2 pieces) 89276 22947 0-ring 56184 25064 Pressure gauge 0 - 6 bar, 40 mm, green area 1.3 - 2.6 bar 60541 Spindle, complete, for adsorber (CE) of half mask + full face 21865 69658 Visor foil, 6 perforations (packing unit 5 pieces) Visor foil, 6 perforations (packing unit 25 pieces) 121038 Visor foil, 6 perforations (packing unit 1000 pieces) Breathing air hose with acoustic warning device and foam sleev without noise reducer/coupling 13854 -Protective cage f. respirator filter unit 53975 Safety quick coupling for SATA full face respirator 49114 53942 Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14 53975 Hose clamp 10.5 GER Belt unit Art. No. 54015 **Belt unit** 56184 Foam sleeve for CE respirator Art. No. 122341 13920 53942 53934 25064 13623 Head / chest scarf, grey, over hood 69658 Hood inlay, black (20 pieces) Foam stripes, one side self-adhesive 8 x 25 x 345 mm, for 22947 13904 25106 Hood with velcro tape, loose, for Vision 2000 respirator Adjustable part for head strap of Vision 2000 respirator 149872 Head strap, cpl., for Vision 2000 respirato 89268 149872 27797 49726 Carrier frame with side parts, plug-in nipples and bottom part, fo Vision 2000 respirator Breathing air hose, cpl, with acoustic warning device, foam Belt unit Art. No. 58941 sleeve and noise reducer/coupling 149872 Belt cushion -53934 6981-13920 149872

58941

53934

SATA® air star C

SATA air star				
Technical I	Data	Required minimum operating pressure: 4.0 bar]
	Required minimum air volume flow: 150 NI/min			
Maximum air volume flow: 305 NI/min				
SATA air	star <u>with</u> Activated Charcoal Be	It Unit		
137554		d belt unit with activated charcoal filter and air regulation		
137588	SATA air star C half mask with breathi	ng hose, without filter		
55798	Belt unit with activated charcoal adso	rber and air regulation valve for SATA air star C		
SATA air	star <u>without</u> Activated Charcoal	Belt Unit		
137570	SATA air star C half mask and belt uni			
137588	SATA air star C half mask with breathi			
122341	Belt unit with T-piece and air regulation UV protection, air star C	on valve for SATA vision 2000, respirator hood CE industry with		
58941	Belt unit with air regulation valve for S tion, air star C	ATA vision 2000, respirator hood CE industry with UV protec-		
Accesso	ries			
61242	Air warmer w. micrometer for SATA res	pirators		TANKS TO SERVICE TO SE
89086	SATA top air breathing air humidifier			
13870	SATA air hose, blue, 9mm, 1.2 m with			
49080	ing to DIN EN 139/270	E 10 mm, f. SATA respirators CE version, 6 m long, cpl. accord-		
176792	Safety compressed air supply hose Cl	E 10m ø 10 mm DIN EN 139/270 for SATA respirators		
180851	Safety compressed air supply hose Cl	E 40m, 10mm, DIN EN 139/270 for SATA respirators		

Art. No./Descr.

3194

Adsorber glass

6981

SATA quick coupling nipple G 1/4" (female thread) (pack

ing unit 5 pieces)

13623

SATA quick coupling 1/4" (male thread)

13904

Activated charcoal cartridge

13920

Ralt with huckle

22947

0-ring 25015

Pressure gauge 0 - 6 bar, 40 mm, green area 1 - 3 bar

25106

Spindle, complete, for adsorber (CE) of half mask + full

face respirator

49726

Protective cage f. respirator filter unit

53942

Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14

53934

Safety quick coupling for SATA full face respirator

75176

Safety quick closure coupling NW 5, type 21, for adsorber

of half mask respirator, version GS

120469

Breathing air hose, cpl.

120477

Air distributor (packing unit 2 pieces)

134254

Head strap with fixing unit and yoke for SATA air star $\ensuremath{\mathrm{C}}$

134270

Inhalation and exhalation diaphragms (packing unit ${\bf 5}$


pieces or 10 pieces, resp.)


137612

Connection (packing unit 2 pieces)

149872

Belt cushion





Accessories for SATA vision 2000/SATA air star C

	ries and air hoses	
13904	Activated charcoal cartridge for SATA activated charcoal adsorber	
15412	Suspender belt for SATA belt units SATA air star C und SATA air vision 5000vision 2000	
13870	SATA air hose, blue, 9mm, 1.2 m with quick coupling, red and nipple	
49080	Safety compressed air supply hose CE 10 mm, f. SATA respirators CE version, 6 m long, cpl. according to DIN EN 139/270	
176792	Safety compressed air supply hose CE 10m ø 10 mm DIN EN 139/270 for SATA respirators	
180851	Safety compressed air supply hose CE 40m, 10mm, DIN EN 139/270 for SATA respirators	
Breathin	g air humidifier and breathing air warmer	
89086	SATA top air breathing air humidifier	
61242	Air warmer w. micrometer for SATA respirators	
Cleaning	cloths	
134965	SATA half mask cleaner (packing unit 10 pieces) Please observe: The supplied product has a limited use-by date!	
135020	SATA half mask cleaner (packing unit 50 pieces) Please observe: The supplied product has a limited use-by date!	
75358	SATA wet & dry cleaner (packing unit 10 pieces) Please observe: The supplied product has a limited use-by date!	
83881	SATA wet & dry cleaner (packing unit 50 pieces) Please observe: The supplied product has a limited use-by date!	The same
Head co	vers for SATA vision 2000	
60541	Head / chest scarf, grey, over hood for SATA vision 2000	
56762	Grey head cloth w. chest cover for respirators	

Spare Parts SATA® top air™/SATA® air warmer™

SATA top air Art. No./Desci

Safety quick closure coupling, free passage, for SATA top-air

24919

0-ring

24950

Safety valve, complete, for SATA top-air

46169

Plug-in nipple for SATA top-air

53975

Hose clamp 10.5 GER Closing screw for SATA top-air

63214

O-ring 5 x 2 mm, ethylene-propylene, for control piston

SATA LP90

Valve, complete, for SATA top-air

81158

Humidifier module cpl.

82917

Breathing air hose, cpl

PVC hose 4 x 2 mm x 110 mm

163535

163543

Container with acme thread


O-ring 68 x 2.0 NBR for SATA top air

(until July 2013)

199729

O-Ring for SATA top air

(as of July 2013)



SATA air warmer

Art. No./Descr.

Closing screw DIN 906 G 1/8-ST., nickel-plated

Countersunk screw M4 x 8 DIN 965, stainless steel, for


micrometer und round/flat spray control

29413

Nipple

Safety quick coupling for SATA full face respirator

Control knob



SATA® air star® F



Filtering mask for short usage periods during small paint jobs.

SATA air	star F	
134353	SATA air star F, filter A2:P3 R D, 2 pre-filter holders and 10 pre-filters	
134288	SATA air star F (Int.), filter A2:P3 D, 2 pre-filter holders and 10 pre-filters, with hygiene box	

Accessor	Accessories		
91553	Storage box for SATA air star F		
134965	SATA half mask cleaner (packing unit 10 pieces) Please observe: The supplied product has a limited use-by date!		
135020	SATA half mask cleaner (packing unit 50 pieces) Please observe: The supplied product has a limited use-by date!		

Spare parts for SATA air star F			
134262	Pre-filter (packing unit 10 pieces) for SATA air star F		
134239	Pre-filter (packing unit 50 pieces) for SATA air star F		
134296	Special filter A2:P3 R D (1 pair) for SATA air star F Please observe: The supplied product has a limited use-by date!		
134312	Special filter A2:P3 D (3 pairs) for SATA air star F Please observe: The supplied product has a limited use-by date!		
134304	Special filter A2:P3 R D (6 pairs) for SATA air star F Please observe: The supplied product has a limited use-by date!		
134247	Pre-filter holder, red (packing unit 2 pieces) and pre-filter (packing unit 10 pieces) for SATA air star F		

Art. No./Descr.

134239

Pre-filter (packing unit 50 pieces)

Pre-filter holder, red (packing unit 2 pieces) and pre-filter (packing unit 10 pieces)

134254

Head strap with fixing unit and yoke for SATA air star C

Pre-filter (packing unit 10 pieces)

134270

Inhalation and exhalation diaphragms (packing unit 5 pieces or 10 pieces, resp.)

134296

Special filter A2:P3 R D (1 pair) Please observe: The supplied product has a limited use-by date!

134312

Special filter A2:P3 D (3 pairs) Please observe: The supplied product has a limited use-by date!

134304

Special filter A2:P3 R D (6 pairs) Please observe: The sup plied product has a limited use-by date!

